Fig.1



BEST AVAILABLE COPY

Fig.2


100
200
114
102
112
110
120
CPU
VIF
NIC
PIF
ROM
RAM
DDC
116
104
106
109
108
122
118
300
126
124
310

Fig.3


259
260
BUFFER
CPU
PIF
D/A
ROM
RAM
231
232
234
230
233
243
242
240
241
244
245～247
236
235
P
Main Scanning Direction
Sub-Scanning Direction

Fig.4


247(Y)
246(M)
245(C)
244(K)
p
Sub-Scanning Direction
Nz
243
242
Main Scanning Direction

Fig.5


IMAGE PRINTING ROUTINE
S100
READ IMAGE DATA
S102
COLOR CONVERSION PROCESS
S104
RESOLUTION CONVERSION PROCESS
S106
NUMBER DATA GENERATION PROCESS
S108
PIXEL POSITION DETERMINATION PROCESS
S110
DOT FORMATION PROCESS
END

Fig.6(a)

97	102	104
94	99	101
92	96	99

Fig.6(b)

97	97	97	97	102	102	102	102	104	104	104	104
97	97	97	97	102	102	102	102	104	104	104	104
94	94	94	94	99	99	99	99	101	101	101	101
94	94	94	94	99	99	99	99	101	101	101	101
92	92	92	92	96	96	96	96	99	99	99	99
92	92	92	92	96	96	96	96	99	99	99	99

Fig.7


NUMBER DATA GENERATION PROCESS
S200
COLLECT MULTIPLE PIXELS TO PIXEL GROUP
S202
SET TARGET PIXEL IN PIXEL GROUP
S204
COMPARE TONE VALUE OF TARGET PIXEL WITH THRESHOLD VALUE AT CORRESPONDING POSITION IN DITHER MATRIX TO DETERMINE DOT-ON OR DOT-OFF
S206
PROCESSING HAS BEEN COMPLETED FOR ALL PIXELS IN PIXEL GROUP ?
no
yes
S208
STORE DOT NUMBER DATA WITH RESPECT TO PROCESSED PIXEL GROUP
S210
PROCESSING HAS BEEN COMPLETED FOR ALL PIXELS ?
no
yes
S212
OUTPUT DOT NUMBER DATA STORED IN UNITS OF PIXEL GROUPS
RETURN

Fig.8



1	177	58	170	70	186	79	161	94	171	16	164	24	158	227	6	133	157
255	109	212	42	242	5	223	48	209	67	248	81	234	132	56	120	253	
123	33	127	181	83	155	105	140	30	150	119	182	40	89	220	163	44	
219	91	237	22	121	198	61	188	111	215	3	98	201	140	10	95		
11	195	53	136	227	37	247	12	233	52	192	135	32	246	113	194		
99	144	107	184	68	172	97	151	77	173	84	237	123	61	167	46		
225	40	251	6	217	116	28	196	125	35	207	17	153	203	24			
87	169	78	162	59	146	211	64	254	142	72	178	87	118	228			
190	15	202	111	238	19	93	169	8	110	221	49	249	2	144			
74	246	134	43	174	128	230	50	216	154	26	168	79	184				
176	30	98	219	86	34	139	195	101	56	241	127	213	37				
69	148	196	2	159	247	89	11	136	185	92	14	108					
187	41	126	226	106	57	190	115	235	36	208	121	229					
81	214	92	53	145	204	27	166	74	157	82	165	31					
232	21	170	240	13	132	252	51	222	4	245	48						
130	155	55	115	183	78	122	196	102	180	65	173						
72	252	100	211	45	231	20	148	39	133	205							
202	32	179	5	163	95	191	86	239	111	29							
104	143	58	243	70	218	63	161	9	209								
64	236	129	110	151	25	199	49	172	68								
171	17	208	38	225	131	99	254	113									
80	191	87	174	76	189	13	143										
247	35	152	2	248	55												
140	108	197	127	96													
13	215	46	229														
164	90	180															
52	253																
205																	

Fig.9


Image Data
Dither Matrix
Dot On-Off State
97 97 97 97
97 97 97 97
94 94 94 94
94 94 94 94
1 177 58 170
255 109 212 42
123 33 127 181
219 91 237 22

Fig.10(a)



Fig.10(b)



Fig.11


PIXEL POSITION DETERMINATION PROCESS
S300
SELECT TARGET PIXEL GROUP FOR PIXEL POSITION DETERMINATION
S302
ACQUIRE DOT NUMBER DATA WITH REGARD TO SELECTED TARGET PIXEL GROUP
S304
REFER TO DITHER MATRIX AND DETERMINE DOT-ON PIXELS
S306
PROCESSING HAS BEEN COMPLETED FOR ALL PIXEL GROUPS ?
no
yes
RETURN

Fig.12(a)



Fig.12(b)



Fig.12(c)



Fig.12(d)



Fig.13(a)

255,212,177,170, 109, 58, 42, 1	242,223,186,161, 79,70,48,5	248,209,171,164, 94,81,67,16
237,219,181,127, 123,91,33,22	198,188,155,140, 121,105,83,61	215,182,150,119, 111,98,30,3
195,184,144,136, 107,99,53,11	247,227,172,151, 97,68,37,12	237,233,192,173, 135,84,77,52

Fig.13(b)

255,212,177,170, 109,[58, 42, 1]	242,223,186,161, [79, 70, 48, 5]	248,209,171,164, [94, 81, 67, 16]
237,219,181,127, 123,[91, 33, 22]	198,188,155,140, 121,105,[83, 61]	215,182,150,119, 111,[98, 30, 3]
195,184,144,136, 107,[99, 53, 11]	247,227,172,151, 97,[68, 37, 12]	237,233,192,173, 135,[84, 77, 52]

Fig.13(c)

3	4	4
3	2	3
2	3	3

Fig.14(a)



Fig.14(b)



Fig.14(c)



Fig.15


NUMBER DATA GENERATION PROCESS
S400
COLLECT MULTIPLE PIXELS TO PIXEL GROUP
S402
PIXEL GROUP INCLUDES EDGE ?
no
yes
S404
S408
REPLACE TONE VALUES OF INDIVIDUAL PIXELS IN PIXEL GROUP WITH MEAN TON VALUE OF PIXEL GROUP
DETERMINE DOT ON-OFF STATE OF INDIVIDUAL PIXELS IN PIXEL GROUP AND STORE RESULTS OF DETERMINATION
S406
DETERMINE NUMBER OF DOTS TO BE CREATED IN PIXEL GROUP AND STORE DOT NUMBER WITH RESPECT TO PIXEL GROUP
S410
PROCESSING HAS BEEN COMPLETED FOR ALL PIXELS ?
no
yes
S412
OUTPUT DOT NUMBER OR DOT ON-OFF STATE STORED WITH RESPECT TO EACH PIXEL GROUP
RETURN

Fig.16(a)



Fig.16(b)



Fig.17(a)

Fig.17(b)



Fig.17(c)



Fig.18



Fig.19


PIXEL POSITION DETERMINATION PROCESS
S500
READ DATA OF 4-BIT VOLUME
S502
REPRESENT VALUE OF OR OVER 9 ?
no
yes
S504
S506
REGARD INPUT 4-BIT DATA AS DOT NUMBER DATA AND DETERMINE POSITIONS OF DOT-ON PIXELS IN PIXEL GROUP
READ SUBSEQUENT 8-BIT DATA REPRESENTING POSITIONS OF DOT-ON PIXELS
S508
PROCESSING HAS BEEN COMPLETED FOR ALL PIXEL GROUPS ?
no
yes
RETURN

Fig.20


IMAGE PRINTING ROUTINE
S600
READ IMAGE DATA
S602
COLOR CONVERSION PROCESS
S604
CONVERT INTO LARGE-SIZE, MEDIUM-SIZE, AND SMALL-SIZE DOT DATA
S606
RESOLUTION CONVERSION PROCESS
S608
NUMBER DATA GENERATION PROCESS
S610
PIXEL POSITION DETERMINATION PROCESS
S612
DOT FORMATION PROCESS
END

Fig.21


255
0
0
255
Dot Data
Tone Data
Small-Size Dot
Medium-Size Dot
Large-Size Dot

Fig.22(a)

Data(L,M,S) =(2,90,32)	(0,90,40)	(0,85,50)
(0,92,28)	(5,80,32)	(10,50,32)
(5,85,52)	(15,60,43)	(20,70,32)

Fig.22(b)

Dot(L,M,S) = (1,2,1)	(0,4,0)	(0,3,1)
(0,3,0)	(0,2,1)	(1,1,0)
(0,2,3)	(1,2,1)	(0,3,0)

Fig.23


NUMBER DATA GENERATION PROCESS
S700
COLLECT MULTIPLE PIXELS TO PIXEL GROUP
S702
READ LARGE-SIZE DOT DATA, MEDIUM-SIZE DOT DATA, AND SMALL-SIZE DOT DATA WITH RESPECT TO INDIVIDUAL PIXELS IN PIXEL GROUP
S704
REFER TO DITHER MATRIX AND DETERMINE DOT ON-OFF STATE OF RESPECTIVE SIZE DOTS
S706
STORE NUMBERS OF RESPECTIVE SIZE DOTS TO BE CREATED IN PIXEL GROUP
S708
PROCESSING HAS BEEN COMPLETED FOR ALL PIXELS ?
no
yes
S710
ENCODE DOT NUMBER DATA OF RESPECTIVE SIZE DOTS AND OUTPUT ENCODED DATA IN UNITS OF PIXEL GROUPS
RETURN

Fig.24


(a)
1
177
58
170
255
109
212
42
Large-Size Dot Data (=2)
Medium-Size Dot Data (=90)
Generate Intermediate Data of Medium-Size Dot(2+90=92)
(b)
1
177
58
170
255
109
212
42
Small-Size Dot Data(=32)
Generate Intermediate Data of Small-Size Dot(92+32=124)
(c)
1
177
58
170
255
109
212
42

Fig.25

Dot Numbers			
Small-Size Dot	Medium-Size Dot	Large-Size Dot	Code Number
0	0	0	0
1	0	0	1
2	0	0	2
3	0	0	3
0	2	6	160
0	0	7	161
1	0	7	162
0	1	7	163
0	0	8	164

Fig.26


(a)
255, 212, 177, 170,
109, 58, 42, 1
Large-Size Dot Data
(=2)
Medium-Size
Dot Data (=90)
Generate Intermediate
Data of Medium-Size
Dot(2+90=92)
(b)
255, 212, 177, 170,
109, 58, 42, 1
Small-Size Dot
Data(=32)
Generate Intermediate
Data of Small-Size
Dot(92+32=124)
(c)
255, 212, 177, 170,
109, 58, 42, 1

Fig.27


PIXEL POSITION DETERMINATION PROCESS
S800
SELECT TARGET PIXEL GROUP FOR PIXEL POSITION DETERMINATION
S802
EXTRACT ENCODED DOT NUMBER DATA OF SELECTED TARGET PIXEL GROUP
S804
DECODE ENCODED DATA TO OBTAIN DOT NUMBER DATA REPRESENTING NUMBERS OF RESPECTIVE SIZE DOTS
S806
REFER TO DITHER MATRIX AND DETERMINE POSITIONS OF DOT-ON PIXELS OF LARGE-SIZE DOT, MEDIUM-SIZE DOT, AND SMALL-SIZE DOT IN THIS ORDER
S808
PROCESSING HAS BEEN COMPLETED FOR ALL PIXEL GROUPS ?
no
yes
RETURN

Fig.28


1
177
58
170
255
109
212
42
Large-Size Dot: 1
Medium-Size Dot: 2
Small-Size Dot: 1
Medium-Size Dot: 2
Small-Size Dot: 1
Small-Size Dot: 1

Fig.29

Code Number	Dot Numbers (Threshold Value of Each Kind of Dot)		
	Large-Size Dot (THL)	Large-Size Dot + Medium-Size Dot (THm)	Large-Size Dot + Medium-Size Dot + Small-Size Dot(THs)
0	0	0	0
1	0	0	1
2	0	0	2
3	0	0	3
160	6	8	8
161	7	7	7
162	7	7	8
163	7	8	8
164	8	8	8

Fig.30


NUMBER DATA GENERATION PROCESS
S900
COLLECT MULTIPLE PIXELS TO PIXEL GROUP
S902
CALCULATE MEAN TONE VALUE OF PIXEL GROUP
S904
DETERMINE NUMBERS OF RESPECTIVE SIZE DOTS TO BE CREATED IN PIXEL GROUP ACCORDING TO MEAN TONE VALUE
S906
STORE NUMBERS OF RESPECTIVE SIZE DOTS WITH RESPECT TO PIXEL GROUP
S908
PROCESSING HAS BEEN COMPLETED FOR ALL PIXELS ?
no
yes
S910
ENCODE DOT NUMBER DATA OF RESPECTIVE SIZE DOTS AND OUTPUT ENCODED DATA IN UNITS OF PIXEL GROUPS
RETURN

Fig.31


Small-Size Dot
Medium-Size Dot
Large-Size Dot
8
0
0
255
Dot Numbers
Mean Tone Value

Fig.32


NUMBER DATA GENERATION PROCESS
S950
APPLY ERROR DIFFUSION METHOD TO DETERMINE DOT ON-OFF STATE OF INDIVIDUAL PIXELS
S952
COLLECT MULTIPLE PIXELS TO PIXEL GROUP
S954
COUNT AND STORE NUMBER OF DOTS TO BE CREATED IN PIXEL GROUP
S956
PROCESSING HAS BEEN COMPLETED FOR ALL PIXELS ?
no
yes
S958
OUTPUT DOT NUMBER DATA STORED IN UNITS OF PIXEL GROUPS
RETURN

Fig.33


PIXEL POSITION DETERMINATION PROCESS
S970
OBTAIN DOT NUMBER DATA OF TARGET PIXEL GROUP
S972
SELECT ONE AMONG MULTIPLE PRIORITY ORDERS
S974
DETERMINE POSITIONS OF DOT-ON PIXELS ACCORDING TO SELECTED PRIORITY ORDER
S976
PROCESSING HAS BEEN COMPLETED FOR ALL PIXEL GROUPS ?
no
yes
RETURN

Fig.34



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.
As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.